Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102
(505) 242-4210
http://www.argonlabsnm.com
Lic# CCD-2022-TEST-0001

REGULATORY COMPLIANCE TESTING

CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/05/2026

SAMPLE NAME: Hybrid

Matrix: Concentrates & Extracts | Type: Distillate



CULTIVATOR/MANUFACTURER

Business Name: Elevation 6969 LLC

License: 230449001

Address: 212 Bendix Drived Unit C, Taos, NM 87511

Date Collected: 09/25/2026
Date Received: 09/25/2026
Batch Size:
Sample Size: 3 g

SAMPLE DETAIL

NMS2S Sample ID: 2453395514483933
Sample ID: 26ARG09112.003

Scan QR code to verify authenticity of results.

Cannabinoids Test Results

Complete

81.980%	1.320%	95.740%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.19	0.61	ND	ND
Δ9-THC	0.20	0.63	81.980	819.80
Δ8-THC	0.11	0.35	ND	ND
THCV	0.19	0.60	4.750	47.50
CBDa	0.10	0.30	ND	ND
CBD	0.09	0.29	1.320	13.20
CBDV	0.16	0.51	ND	ND
CBN	0.16	0.50	2.320	23.20
CBGa	0.13	0.41	ND	ND
CBG	0.16	0.50	5.370	53.70
CBC	0.18	0.59	ND	ND
Total THC			**81.980**	**819.800**
Total CBD			**1.320**	**13.200**
Total			**95.740**	**957.40**

Date Tested: 09/29/2026

Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
HPLC-DAD ; Method:SOP ID: ABQ-CN-04

NT	NT	Pass
Not Tested	Not Tested	
Moisture Content	Water Activity	Visual Inspection

Hiram Cueto

Laboratory Director
10/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.

REGULATORY COMPLIANCE TESTING

CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/05/2026

Microbials Test Results

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus	Detected in 1g	Absent	Pass
Aspergillus fumigatus	Detected in 1g	Absent	Pass
Aspergillus niger	Detected in 1g	Absent	Pass
Aspergillus terreus	Detected in 1g	Absent	Pass
Salmonella SPP	Detected in 1g	Absent	Pass
Shiga Toxin E. Coli	Detected in 1g	Absent	Pass

PCR + Fluoresence Detection ; Method: SOP ID: ABQ-MIC-07

VISUAL INSPECTION

Analyte	Limit	Result	Status
Total Sample Area Covered By Sand, Soil Or Dirt	≤2%/gram	Not Detected	Pass
Insect Fragment Count	<1/gram	Not Detected	Pass
Mammalia Excreta Count	≤1/gram	Not Detected	Pass
Total Sample Area Covered By Mold	≤2%/gram	Not Detected	Pass
Hair Count	<1/gram	Not Detected	Pass

Date Tested: 09/25/2026
Microscopic Inspection Method: SOP ID: ABQ-VI-01

Hiram Cueto

Laboratory Director
10/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.

REGULATORY COMPLIANCE TESTING

CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/05/2026

Residual Solvents Test Results

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Acetone	228.30	5000.00	ND	Pass
Benzene	0.87	2.00	ND	Pass
Ethanol	342.90	5000.00	ND	Pass
Heptane	332.40	5000.00	ND	Pass
Hexanes	47.10	290.00	ND	Pass
Isobutane	317.10	5000.00	ND	Pass
Isopropanol	289.20	5000.00	ND	Pass
Methanol	389.40	5000.00	ND	Pass
n-Butane	279.30	5000.00	ND	Pass
n-Pentane	367.50	5000.00	ND	Pass
Propane	253.50	5000.00	ND	Pass
Toluene	15.90	890.00	ND	Pass
Xylenes + Ethyl Benzene	9.90	2170.00	ND	Pass

Headspace GC-FID ; Method: SOP ID: ABQ-RS-05

Hiram Cueto

Laboratory Director
10/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.

Argon Labs NM
1412 Broadway Boulevard, NE
Albuquerque, NM 87102
(505) 242-4210
http://www.argonlabsnm.com
Lic# CCD-2022-TEST-0001

REGULATORY COMPLIANCE TESTING

CERTIFICATE OF ANALYSIS

OVERALL BATCH RESULTS: Pass

DATE ISSUED: 10/05/2026

Pesticides Test Results

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.100	0.100	ND	Pass
Acequinocyl	0.500	2.000	ND	Pass
Bifenazate	0.100	0.200	ND	Pass
Bifenthrin	0.100	0.100	ND	Pass
Etoxazole	0.100	0.100	ND	Pass
Imazalil	0.100	0.100	ND	Pass
Imidacloprid	0.100	0.100	ND	Pass
Myclobutanil	0.100	0.100	ND	Pass
Paclobutrazol	0.040	0.040	ND	Pass
Piperonyl Butoxide	0.500	3.000	ND	Pass
Pyrethrins	0.500	0.500	ND	Pass
Spinosad	0.100	0.100	ND	Pass
Spiromesifen	0.100	0.100	ND	Pass
Spirotetramat	0.100	0.100	ND	Pass
Trifloxystrobin	0.020	0.020	ND	Pass

UHPLC/LCMSMS ; Method: SOP ID: ABQ-PST-08

Hiram Cueto

Laboratory Director
10/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs.